AMERICHEM
YOUR PARTNER IN CLEAN
(800) 262-4360 | www.americhem.net

TENNANT

i-mop® XL Plus & i-mop® XXL Plus Scrubber



Maneuverability of a Mop with the Cleaning Performance of Scrubber

Clean in tight spaces and underneath obstacles. Work with the freedom of movement and great ease of use. With the highly maneuverable design and intuitive controls, the i-mop XL Plus / i-mop XXL Plus isn't just designed for cleaning, it is designed for the cleaner.

Included Technologies

Lithium-Ion Battery Technology



Floating Ball System
A floating ball has been inserted in the filtration element which pops-up, or engages, when the recovery tank is full. This will close the tank and prevent water from overflowing to help protect the vacuum motor.



Store & Transport With Ease
Battery safe guard ensures the i-mop stays off when in storage mode preventing the battery from draining. Wheels make transporting easy between different areas, levels and buildings.



Protect Against Water Damage
Electronic switch shuts down the engine automatically when held below a 32-degree angle helping to protect the motor from water damage.

Inside the **i-mop XL Plus** & **i-mop XXL Plus**

1. **Simple intuitive controls** make it easy to operate and train.
2. **Detachable tanks** make it easy to replace or change cleaning solution on the fly or empty recovery water in any sink offering very little down time.
3. **Rechargeable modular battery packs** for continuous run-time by swapping out and recharging with an extra set of batteries.
4. **Heavy-duty hinge for 360° steering,** highly maneuverable in small spaces around obstacles and under furniture.
5. **Low profile & folding design** fits under furniture and counters and gets into tight spaces. Deck folds for narrow storage.
6. **Counter rotating twin brushes** push solution toward the center rather than splashing off to the side of the machine.
7. **Powerful 350 RPM motors** offer up to twice the speed of many conventional disk scrubbers.



i-mop XL Plus & **i-mop XXL Plus** Specifications

	SPECIFICATION	
FEATURE	**i-mop XL Plus**	**i-mop XXL Plus**
Cleaning path	18.1 inch / 460 mm	24.4 inch / 620 mm
Productivity (per hour) Theoretical Max	19,375 ft² / 1,800 m²	24,750 ft² / 2,300 m²
Brush RPM	350	350
Brush/pad pressure	48.4 lbs / 22.5 kg	70.4 lbs / 32 kg
Solution tank capacity	1 gal / 4 L	1.25 gal / 5 L
Recovery tank capacity	1.5 gal / 6 L	2 gal / 8 L
Battery run time (80% charge with one hour charge time)	up to 60 min	up to 60 min
Battery charge time (100% charge) [up to hours*]	5	6
Battery voltage	24.2V (8.8 Ah)	25.2V (14Ah)
Length x width x height	13.8 x 18.9 x 47.2 inch / 350.5 x 480 x 1,199 mm	14.2 x 26.8 x 50 inch / 361 x 680 x 1,270 mm
Weight (with batteries and water)	57 lbs / 25.9 kg	78 lbs / 35.3 kg
Volume box	8.1 cu ft / .23 m³	9.2 cu ft / .34 m³

Specifications subject to change without notice and will vary throughout the operation of the machine; averages are shown.

** Run times are based on Continuous Scrubbing Run Times.*

AMERICHEM
YOUR PARTNER IN CLEAN
(800) 262-4360 | www.americhem.net

For a demonstration or additional information,
call **+1.800.553.8033** or email **info@tennantco.com**

Tennant
701 North Lilac Drive | Minneapolis, MN 55422 USA
USA/Canada: +1.800.553.8033 | Quebec: +1.800.361.9050 | Overseas: +1.763.540.1315

i-mop-plus-brochure-en-noam 6/20 *©2020 The Tennant Company.*

i-mop® XL & XXL Plus

Enhancements

Floating Ball System
The recovery tank now includes a new filter system. A floating ball is inserted in the filtration element which pops-up when the tank is full. This will close the tank and prevent water from overflowing. The i-mop will also stop extracting any residue from the floor to avoid water from entering the vacuum water via the tank.

Looking to upgrade your legacy tank? Simply swap out your existing recovery tank for the new recovery tank with ball float.



PLUS Charger
While the new PLUS charger closely resembles its replacement, it has the power to revive batteries that have drained below 18 volts to 6 volts*, providing more tolerance and flexibility. The new charger is designed to work with both legacy and PLUS models.



*subject to other factors including environment and age of batteries



Battery Safeguard
Raising the scrub deck into the park position (during the workday or when the i-mop is stored overnight) will automatically shut off the battery to prevent drainage and optimize battery life. Lowering the deck to working position will turn the battery back on.

Additionally, brushes will no longer rotate while in park position helping to reduce splashing.



Angle Switch
The new electronic angle switch automatically shuts down the motor if operated below a 32 degree angle helping to protect the motor from flooding.



i-mop-plus-flyer-en-noam 6/20
©2020 The Tennant Company logo and other trademarks designated with the symbol "®" are trademarks of Tennant Company registered in the United States and/or other countries. Tennant Company's products are sold and serviced through subsidiaries of Tennant Company and distributors.
All rights reserved.

AMERICHEM
YOUR PARTNER IN CLEAN
(800) 262-4360 | www.americhem.net

AMERICHEM
YOUR PARTNER IN CLEAN

CHECK OUT THE VIDEO

i-mop XL Plus Walk-Behind Floor Scrubber

TEN 1251236



The maneuverability of a mop with the cleaning performance of a walk-behind floor scrubber. The i-mop® XL Plus makes it possible to clean any surface with freedom of movement and great ease of use. No borders or boundaries. This machine isn't just designed for cleaning, it is designed for the cleaner.





