

## Oxi Lyte Intermediate Fg

### SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Manufacturer's Name: Pariser Industries  
 Address : 91 Michigan Ave  
           Paterson, NJ 07503  
 Website : www.Pariserchem.com  
 Phone : 973-569-9090  
 Emergency Phone : 1-800-424-9300 (Chemtrec)  
 Chemtrec Contract : CCN16764

T : 973-569-9090  
 F : 973-569-9101  
 Info@Pariserchem.com

Date Printed: 5/8/2015  
 Name of Preparer: Environmental Dept

Product Name: Oxi Lyte Intermediate Fg  
 CAS No. : Mixture  
 Product Form: Liquid  
 Trade Secret Registry # 307554-5524P

HMIS Codes:

|   |   |   |   |
|---|---|---|---|
| H | F | R | P |
| 3 | 0 | 1 | B |

UN Number:  
 UN2014  
 Recommended Use of Chemical: Industrial

### SECTION 2 – HAZARDS IDENTIFICATION

**Carcinogenicity:**

NTP Carcinogen: No

IARC Monographs: No

OSHA Regulated: No

**GHS Classification:**



**GHS Environmental Statements:**

Acute Aquatic Toxicity (3)

**GHS Health Statements:**

Oxidizing Liquids (1) Acute Toxicity Oral (4) Skin Corrosion (1A) Serious Eye Damage (1)

**GHS Hazard Statements:**

H271: May cause fire or explosion; strong oxidizer

H302: Harmful if swallowed

H333: May be harmful if inhaled

H402: Harmful to aquatic life

**GHS Precautionary Statements:**

P220: Keep away from clothing and other combustible materials.

P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P310: Immediately call a POISON CENTER/doctor/...

P363: Wash contaminated clothing before reuse

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

**GHS Signal Word:** Danger

### SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Name of Chemical Contributing to Known Hazards : HYDROGEN PEROXIDE

Common Name of Chemical Contributing to Known Hazards : Peroxides

| Name              | Product Identifier<br>(CAS No) | %     |
|-------------------|--------------------------------|-------|
| HYDROGEN PEROXIDE | 7722-84-1                      | 15-50 |

### SECTION 4 – FIRST AID MEASURES

**Emergency and First Aid Procedures**

**First – Aid Measures General:**

Check the vital functions. Unconscious: Maintain adequate airway and respiration. Respiratory Arrest: Artificial respiration or oxygen. Cardiac Arrest: Perform resuscitation. Victim conscious with labored breathing: Half-seated. Victim in Shock: On his back with legs slightly raised. Vomiting: Prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: Doctor/Hospital. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show label where possible).

**First – Aid Measures after Inhalation:**

Remove the victim into fresh air. Respiratory Problems: consult a doctor/medical service. Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms continue seek medical attention.

**First – Aid Measures after Skin Contact:**

Wash immediately with lots of water (15 minutes)/shower. Do not apply (chemical) neutralizing agents. Remove clothing while washing. Cover wounds with sterile bandage. Consult a doctor/medical service if required.

**First – Aid Measures after Eye Contact:**

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

**First – Aid Measures after Ingestion:**

Rinse mouth with water. Immediately after ingestion: Give lots of water to drink. Do not induce vomiting. Do not give activated charcoal. Do not give chemical antidote. Immediately consult a doctor/medical service. Ingestion of large quantities: Go immediately to hospital.

**Most Important Symptoms and Effects (Acute and Delayed)**

**Symptoms/Injuries after Inhalation:**

Dry/sore throat. Coughing. Irritation of the respiratory tract and/or nasal mucous membranes. Delayed symptoms include possible laryngeal spasm/oedema. Risk of lung oedema. Respiratory difficulties.

**Symptoms/Injuries after Skin Contact:**

Causes skin burns.

**Symptoms/Injuries after Eye contact:**

Permanant eye damage including blindness could result. Symptoms include stinging, tearing, redness, swelling, and blurred vision.

**Symptoms/Injuries after Ingestion:**

Vomiting, diarrhea, burns to the gastric/intestinal mucosa. Possible esophageal perforation. Bleeding of the gastrointestinal tract. Shock. In high quantities disturbances of conciousness could exist.

---

## SECTION 5 – FIRE-FIGHTING MEASURES

**Extinguishing Media:**

Water fog or spray, Foam, Dry Powder, Carbon Dioxide (CO2).

**Unsuitable Extinguishing Media:**

None Known

**Hazards Arising From the Chemical:**

Product components will burn producing oxygen

**Advice for Firefighters**

**Precautionary Measures\Firefighting Instructions:**

In case of fire and/or explosion do not breathe fumes. Use standard fire fighting procedures and consider hazards of other involved materials.

**Special Protective Equipment:**

Self contained breathing appratus and full protective clotng must be worn in case of fire.

---

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment, and Emergency Procedures**

**Protective Equipment:**

Gloves and Goggles. Wear additional appropriate protective equipment and clothing when necessary.

**Emergency Procedures:**

Mark the danger area. Ensure adequate ventilation. No naked flames. Wash contaminated clothes. Large spills/in confined spaces: Consider evacuation.

**Environmental Precaution:**

Prevent soil and water pollution. Prevent spreading in sewers. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

**Methods and Material for Containment and Cleaning Up**

**Containment:**

Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. Dam up the liquid spill.

**Methods for Clean Up:**

Take up liquid spill into absorbent material, e.g.: dry sand/earth or powdered limestone. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Wash away remainder with plentiful water. Damaged/cooled tanks must be emptied. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

## SECTION 7 - HANDLING AND STORAGE

**Precautions for Safe Handling:**

Wear appropriate personal protective equipment. Open containers slowly, on a stable surface. Containers of this product must be properly labeled. Keep container tightly closed when not in use. Wash thoroughly after using this material. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Empty containers may contain residual materials, therefore, empty containers should be handled with care.

**Conditions for Safe Storage, Including any Incompatibilities**

**Storage Conditions:**

Store in a dry area. Keep only in the original container in a cool, well ventilated place, away from direct sunlight and sources of intense heat. Keep container closed when not in use. Protect against freezing. Store away from incompatible materials. Provide for a tub to collect spills. Unauthorized persons are not admitted. If appropriate, post warning signs in storage and use areas. Meet the legal requirements.

**Incompatible Materials & Products:**

Organic Compounds. Metals. Alkaline Materials. Iron and iron salts. Dirt

## SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

**Control Parameters**

**Occupational Exposure Limits:** U.S. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | CAS # | Type | Value |
|------------|-------|------|-------|
|            |       |      |       |

|                   |           |     |                  |
|-------------------|-----------|-----|------------------|
| HYDROGEN PEROXIDE | 7722-84-1 | PEL | 1 ppm, 1.4 mg/m3 |
| HYDROGEN PEROXIDE | 7722-84-1 | PEL | 1 ppm, 1.4 mg/m3 |

**Appropriate Engineering Controls:**

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide adequate general and local exhaust ventilation.

**Individual Protection Measures**

Avoid all unnecessary exposure.

**Personal Protective Equipment**

**Hand Protection:**

Wear protective gloves.

**Eye Protection:**

Chemical goggles or face shield.

**Skin and Body Protection:**

Corrosion-proof clothing.

**Respiratory Protection:**

Wear appropriate mask.

**Other Information:**

Do not eat, drink, or smoke during use.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

|  |                   |
|--|-------------------|
| <b><u>Physical State:</u></b>                          | Liquid            |
| <b><u>Color:</u></b>                                   | Clear water white |
| <b><u>Odor:</u></b>                                    | N/A               |
| <b><u>Odor Threshold:</u></b>                          | No Data Available |
| <b><u>pH:</u></b>                                      | 2-5               |
| <b><u>Melting Point:</u></b>                           | No Data Available |
| <b><u>Freezing Point:</u></b>                          | No Data Available |
| <b><u>Boiling Point:</u></b>                           | 226 F (108 C)     |
| <b><u>Boiling Point Range:</u></b>                     | No Data Available |
| <b><u>Flashpoint:</u></b>                              | N/A               |
| <b><u>Evaporation Rate:</u></b>                        | No Data Available |
| <b><u>Flammability (Solid, Gas):</u></b>               | No Data Available |
| <b><u>Explosive Limits:</u></b>                        | No Data Available |
| <b><u>Vapor Pressure:</u></b>                          | No Data Available |
| <b><u>Vapor Density @ 20C:</u></b>                     | No Data Available |
| <b><u>Specific Gravity:</u></b>                        | 9.076             |
| <b><u>Solubility:</u></b>                              | Soluble in water  |
| <b><u>Partition Coefficient (n-octanol/water):</u></b> | No Data Available |

**Auto-Ignition Temperature:** No Data Available

## SECTION 10 – STABILITY AND REACTIVITY

**Stability:**  
Stable under normal conditions

**Possibility of Hazardous Reactions:**  
This product is stable and non-reactive under normal conditions of use, storage, and transport.

**Conditions to Avoid:**  
Direct Sunlight. Extremely high or low temperatures. Avoid ultraviolet (UV) light sources. Keep away from heat, sparks and flame. Avoid contact with combustible or organic materials

**Incompatibility (Materials to Avoid):**  
Organic Compounds.  
Metals.  
Alkaline Materials.  
Iron and iron salts  
Dirt

**Hazardous Decomposition Products:**  
No Data Available

**Hazardous Polymerization:**  
Will Not Occur

## SECTION 11 – TOXICOLOGICAL INFORMATION

**Acute Toxicity:** Prolonged contact with the undiluted material may cause irritation.

|           |                   |             |       |            |
|-----------|-------------------|-------------|-------|------------|
| 7722-84-1 | HYDROGEN PEROXIDE | LD50 Dermal | Rat   | 4060 mg/kg |
|           |                   | LD50 Oral   | Mouse | 2000 mg/kg |

**Carcinogenicity:** Not Classified  
**Germ Cell Mutagenicity:** Not Classified

**Routes of Exposure/Symptoms of Exposure**

**Symptoms/Injuries after Inhalation:**  
Dry/sore throat. Coughing. Irritation of the respiratory tract and/or nasal mucous membranes. Delayed symptoms include possible laryngeal spasm/oedema. Risk of lung oedema. Respiratory difficulties.

**Symptoms/Injuries after Skin Contact:**  
Causes skin burns.

**Symptoms/Injuries after Eye Contact:**  
Permanant eye damage including blindness could result. Symptoms include stinging, tearing, redness, swelling, and blurred vision.

**Symptoms/Injuries after Ingestion:**  
Vomiting, diarrhea, burns to the gastric/intestinal mucosa. Possible esophageal perforation. Bleeding of the gastrointestinal tract. Shock. In high quantities disturbances of conciousness could exist.

**Chronic Symptoms:**

Prolonged exposure may cause chronic effects.

### SECTION 12 – ECOLOGICAL

**Ecotoxicity:** Very toxic to aquatic life.

|           |                   |      |       |                   |
|-----------|-------------------|------|-------|-------------------|
| 7722-84-1 | HYDROGEN PEROXIDE | EC50 | Algae | 2.5 mg/l, 72 hrs  |
|           |                   | LC50 | Fish  | 16.4 mg/l, 96 hrs |

**Persistence and Degradability:** This material is biodegradable.

**Bioaccumulative Potential:** Not expected to bioaccumulate.

**Mobility in Soil:**

**Other Adverse Effects:** Avoid release to the environment.

### SECTION 13 – DISPOSAL CONSIDERATIONS

**Waste Disposal Method:**

Dispose in an approved waste management facility. Care must be taken when using or disposing of chemical materials and/or their containers to prevent environmental contamination. It is your duty to dispose of the chemical materials and/or their containers in accordance with all Federal, State, Local, and National regulations regarding disposal. Do not discharge into surface water. Avoid release to the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal. Since empty containers may contain product residue follow label warnings even after container is empty.

### SECTION 14 – TRANSPORT INFORMATION

**DOT:**

**UN Number:** UN2014  
**UN Proper Shipping Name:** HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS WITH NOT LESS THAN 20 PERCENT BUT NOT MORE THAN 40 PERCENT HYDROGEN PEROXIDE (STABILIZED AS NECESSARY)  
**Transport Hazard Class:** 5.1  
**Subsidiary Hazard Class(es):** 8  
**Packaging Group:** II  
**Special Precautions/Provisions:** 49CFR Parts 100-185, Emergency Response Guidebook #140

### SECTION 15 – REGULATORY INFORMATION

**US Federal Regulations**

**CERCLA Hazardous Substance List (40 CFR 302.4):** Not Listed

**DOT:** 49CFR Parts 100-185

**SARA 302 (Extremely Hazardous Substance):** Yes

**SARA 311/312 Hazardous Chemical:** Yes

**SARA 313 (TRI reporting):** Yes

---

## SECTION 16 – OTHER INFORMATION

**Date of Preparation of SDS/Date of Last Change:** May 8, 2015

**Disclaimer:**

The information in this SDS was obtained from current and reliable sources, and to the best knowledge of Pariser Industries is deemed to be accurate. However, the data is provided without any warranty, expressed or implied, regarding its correctness and accuracy. Since the conditions for use, handling, storage, and disposal of this product are beyond the control of Pariser Industries, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement of omission in this SDS. Various government agencies (e.g. DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.