

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 01-Nov-2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	AIRLIFT XCELENTE ODOR ELIMINATOR 6019 Air freshener For Industrial and Institutional Use Only
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com
24 Hour Emergency Phone Number Medical Emergency/Information: Transportation/Spill/Leak:	s: 888-314-6171 CHEMTREC 800-424-9300
	2. HAZARDS IDENTIFICATION
GHS Classification Flammable Aerosols Gases Under Pressure	Category 1 Liquefied gas
<u>GHS Label Elements</u> Signal Word: Symbols:	Danger
Hazard Statements:	
<u>Precautionary Statements:</u> Prevention:	Extremely flammable aerosol. Contains gas under pressure; may explode if heated Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal
Response: -Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Storage: Disposal:	Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C) Store in a well-ventilated place Not Applicable
Hazards Not Otherwise Classified:	Not Applicable

Other Information:

- May cause skin irritation.
- May cause eye irritation.
- May be harmful if swallowed.
- Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Butane	106-97-8	7-13
C13-14 Isoparaffin	64742-47-8	5-10
Propane	74-98-6	3-7
C10-C12 Alkane/Cycloalkane	64742-48-9	1-5
Polyglyceryl-3 Oleate	9007-48-1	0.1-1
Fatty Acid Amine Complex	PROPRIETARY	0.1-1
Sodium Benzoate	532-32-1	0.1-1
Fragrance	PROPRIETARY	0.1-1
Butylphenyl Methylpropinal	80-54-6	<0.1
Benzyl Salicylate	118-58-1	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
-Skin Contact:	Wash with soap and water. If skin irritation occurs: Get medical attention.
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
-Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
Note to Physicians:	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Water spray (fog), Foam
Specific Hazards Arising from the	Extremely flammable aerosol. Exposure to high temperature may cause containers to burst.
Chemical:	Bursting aerosol containers may be propelled from fire at high speed.
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to extreme heat.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with eyes and skin. Use personal protective equipment as required. Remove all sources of ignition.
Environmental Precautions: Methods for Clean-Up:	Do not rinse spill onto the ground, into storm sewers or bodies of water. Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after handling.
Storage Conditions:	NFPA 30B Level 1 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°. Exposure to high temperature may cause containers to burst. Keep out of the reach of children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).
Suggested Shelf Life:	Minimum of 2 years from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH	
Butane	STEL: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm	
106-97-8		(vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³	
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm	
74-98-6	Oxygen Content	TWA: 1800 mg/m ³	TWA: 1000 ppm	
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³	
		(vacated) TWA: 1800 mg/m ³		
Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.			
Personal Protective Equipment				
Eye/Face Protection:	Not required with expected use.			
Skin and Body Protection:	Not required with expected use.			
Respiratory Protection:	Not required with expected use.			
	If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.			
General Hygiene Considerations:				

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Aerosol
Color:	Colorless
Odor:	Pleasant
pH:	6.0-8.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F (Product without propellant)
Flash Point:	< -18 °C / < 0 °F Estimated
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.83 (Product without propellant)
Solubility(ies):	Miscible in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: This material is considered to be non-reactive under normal conditions of use. Stable under normal conditions.

Possibility of Hazardous React Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products:	ions: Not expected to occur with normal handling and storage. Extremes of temperature and direct sunlight. Strong oxidizing agents. Strong acids. May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
	11. TOXICOLOGICAL INFORMATION
Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	Deix aud as de ses
-Eye Contact:	Pain and redness.
-Skin Contact:	Drying of the skin.
-Inhalation:	Nasal discomfort and coughing. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
-Ingestion:	Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic E	ifects
Product Information:	Data not available or insufficient for classification.
Target Organ Effects:	Central nervous system.
Numerical Measures of Toxicity	1
The following acute toxicity estimate	ates (ATE) are calculated based on the GHS document.
ATEmix (oral):	50592 mg/kg
ATEmix (dermal):	20932 mg/kg
ATEmix (inhalation-gas):	1669319 mg/l
· · · · · · · · · · · · · · · · · · ·	
Component Acute Toxicity Info	rmation

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Butane 106-97-8	Not Available	Not Available	= 658 g/m³(Rat)4 h
C13-14 Isoparaffin 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
Propane 74-98-6	Not Available	Not Available	= 658 mg/L (Rat)4 h
C10-C12 Alkane/Cycloalkane 64742-48-9	> 6000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	> 8500 mg/m³(Rat)4 h
Sodium Benzoate 532-32-1	= 4070 mg/kg (Rat)	Not Available	Not Available
Butylphenyl Methylpropinal 80-54-6	= 1390 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available
Benzyl Salicylate 118-58-1	= 2227 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
C13-14 Isoparaffin 64742-47-8	Not Available	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available
C10-C12 Alkane/Cycloalkane 64742-48-9	Not Available	2200: 96 h Pimephales promelas mg/L LC50	Not Available	Not Available

6019 - AIRLIFT XCELENTE ODOR ELIMINATOR

Revision Date: 01-Nov-2018

Sodium Benzoate 532-32-1	Not Available	420 - 558: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	Not Available	650: 48 h Daphnia magna mg/L EC50	
Butylphenyl Methylpropinal 80-54-6	Not Available	2.2 - 4.6: 96 h Brachydanio rerio mg/L LC50 static	Not Available	10.7: 48 h Daphnia magna mg/L EC50	
Persistence and Degrada Bioaccumulation:	<u>bility:</u> No informati No informati				
Other Adverse Effects:	No informati	on available.			
	13. DIS	POSAL CONSIDERA	TIONS		
Disposal of Wastes: Contaminated Packaging	Disposal of Wastes:Dispose of in accordance with federal, state and local regulations.Contaminated Packaging:Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with federal, state and local regulations.				
	14. TF	RANSPORT INFORMA	TION		
<u>DOT:</u> UN/ID No: Proper Shipping Nam Hazard Class: Special Provisions:	2.1 This aerosol strong outer Shipping des and/or origin	product meets the exception packaging. Such material m scriptions may vary based or and destination. Check with formation specific to your situ	ay be reclassified as " n mode of transport, qu n a trained hazardous	uantities, package size,	
<u>IMDG:</u> UN/ID No: Proper Shipping Nam Hazard Class: Additional information	2.1	ntity			
15. REGULATORY INFORMATION					

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	Yes
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA	Health Hazards: 1	Flammability: 1	Instability: 0	Special: N/A
HMIS	Health Hazards: 1	Flammability: 2	Physical Hazards: 2	

Revision Date:	01-Nov-2018
Reasons for Revision:	New product

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet