

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 20-Jan-2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: STERIPHENE II BRAND DISINFECTANT DEODORANT CLEAN FRESH

FRAGRANCE

Product Number: 6081
Recommended Use: Disinfectant

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Serious Eye Damage/Eye Irritation: Category 2A
Flammable Aerosols Category 1
Gases Under Pressure Liquefied gas

GHS Label Elements

Signal Word:

Symbols:

Danger



Hazard Statements: Causes serious eye irritation Extremely flammable aerosol.

Contains gas under pressure; may explode if heated

Precautionary Statements:

Prevention: Wash hands and any exposed skin thoroughly after handling.

Wear eye / face protection

Response:

-EyesIF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C) Store in a

well-ventilated place

Disposal: Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information: · May be harmful if swallowed

· May cause skin irritation.

• Inhalation of vapors or mist may cause respiratory irritation.

Revision Date: 20-Jan-2022

· Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Alcohol	64-17-5	40-70
Water	7732-18-5	10-30
Propane	74-98-6	7-13
Butane	106-97-8	5-10
Sodium Nitrite	7632-00-0	0.1-1
C12-14 Sec-Pareth-9	84133-50-6	<0.1
t-Butyl Alcohol	75-65-0	<0.1
Chlorophene	120-32-1	<0.1
o-Phenylphenol	90-43-7	<0.1
Fragrance	PROPRIETARY	<0.1
Orange Terpenes	68647-72-3	<0.1
Lemon Oil Terpenes	68917-33-9	<0.1
Hydroxycitronellal	107-75-5	<0.1
Hexyl Cinnamal	101-86-0	<0.1
Cedryl Acetate	77-54-3	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Wash with soap and water. If skin irritation occurs: Get medical attention. -Skin Contact:

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious -Ingestion:

person. Get medical attention if you feel unwell.

Note to Physicians: NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Water spray (fog), Foam

Specific Hazards Arising from the Extremely flammable aerosol. Exposure to high temperature may cause containers to burst. Chemical:

Bursting aerosol containers may be propelled from fire at high speed.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Water may be used to cool closed containers to prevent pressure build-up and possible

Precautions for Firefighters: auto ignition or explosion when exposed to extreme heat.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protective equipment as required. Remove all sources of ignition.

Environmental Precautions: Methods for Clean-Up:

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Revision Date: 20-Jan-2022

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Intentional misuse

by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after

handling.

Storage Conditions: NFPA 30B Level 2 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°.

Exposure to high temperature may cause containers to burst. Keep out of the reach of

children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	_
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content	TWA: 1800 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	
Butane	STEL: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
t-Butyl Alcohol	TWA: 100 ppm	TWA: 100 ppm	IDLH: 1600 ppm
75-65-0		TWA: 300 mg/m ³	TWA: 100 ppm
		(vacated) TWA: 100 ppm	TWA: 300 mg/m ³
		(vacated) TWA: 300 mg/m ³	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 450 mg/m ³
		(vacated) STEL: 450 mg/m ³	

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Wear splash goggles.

Skin and Body Protection:

Wear rubber or other chemical-resistant gloves.

Respiratory Protection: Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a

NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

Revision Date: 20-Jan-2022

9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance/Physical State:	Aerosol		
Color:	Light yellow		
Odor:	Citrus fragrance		
pH:	8.0-9.0		
Melting Point / Freezing Point:	No information available		
Boiling Point / Boiling Range:	74 °C / 165 °F (Product without propellant)		
Flash Point:	< -18 °C / < 0 °F (Propellant-estimated)		
Evaporation Rate:	1.5 (Butyl acetate = 1)		
Flammability (solid, gas)	No information available		
Upper Flammability Limit:	No information available		
Lower Flammability Limit:	No information available		
Vapor Pressure:	No information available		
Vapor Density:	No information available		
Specific Gravity:	0.84 (Product without propellant)		
Solubility(ies):	Soluble in water		
Partition Coefficient:	No information available		
Autoignition Temperature:	No information available		
Decomposition Temperature:	No information available		

10. STABILITY AND REACTIVITY

No information available

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Products:

Viscosity:

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain, redness, swelling of the conjunctiva and blurred vision.

-Skin Contact: Drying of the skin.

-Inhalation: Nasal discomfort and coughing. Intentional misuse by deliberately concentrating and

inhaling contents may be harmful or fatal.

-Ingestion: Pain, nausea, vomiting and diarrhea. May cause central nervous system depression. May

cause drowsiness or dizziness.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: Blood. Central nervous system. -Eyes. Liver. Reproductive System. Respiratory System.

-Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 9273 mg/kg
ATEmix (inhalation-gas): 1576708 mg/l
ATEmix (inhalation-dust/mist): 195.1 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Alcohol	= 7060 mg/kg (Rat)	Not Available	= 124.7 mg/L (Rat) 4 h

6081 - STERIPHENE II BRAND DISINFECTANT DEODORANT CLEAN FRESH FRAGRANCE

64-17-5 Water > 90 mL/kg (Rat) Not Available Not Available 7732-18-5 Propane Not Available Not Available = 658 mg/L (Rat) 4 h 74-98-6 Not Available Not Available Butane $= 658 \text{ g/m}^3 \text{ (Rat) 4 h}$ 106-97-8 Sodium Nitrite = 85 mg/kg (Rat) Not Available = 5.5 mg/L (Rat) 4 h 7632-00-0 C12-14 Sec-Pareth-9 = 2100 mg/kg (Rat) Not Available Not Available 84133-50-6 t-Butyl Alcohol = 2200 mg/kg (Rat) > 2 g/kg (Rabbit) > 10000 ppm (Rat) 4 h 75-65-0 = 1700 mg/kg (Rat) Not Available Not Available Chlorophene 120-32-1 = 2 g/kg (Rat) > 0.949 mg/L (Rat) 1 h o-Phenylphenol > 2000 mg/kg (Rat) 90-43-7 Hydroxycitronellal > 5 g/kg (Rat) Not Available Not Available 107-75-5 Hexyl Cinnamal = 3100 mg/kg (Rat) > 3000 mg/kg (Rabbit) > 5 mg/L (Rat) 4 h 101-86-0 Not Available Not Available Cedryl Acetate = 44750 mg/kg (Rat) 77-54-3

Revision Date: 20-Jan-2022

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Alcohol 64-17-5	Not Available	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
Sodium Nitrite 7632-00-0	Not Available	0.19: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.092 - 0.13: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.4 - 0.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.65 - 1: 96 h Oncorhynchus mykiss mg/L LC50 static 2.3: 96 h Pimephales promelas mg/L LC50 flow-through 20: 96 h Pimephales promelas mg/L LC50 static 2.3: 96 h Pimephales promelas mg/L LC50 flow-through 20: 96 h Pimephales promelas mg/L LC50 static	Not Available	Not Available
C12-14 Sec-Pareth-9 84133-50-6	Not Available	3.2: 96 h Pimephales promelas mg/L LC50	Not Available	3.2: 48 h water flea mg/L EC50
t-Butyl Alcohol 75-65-0	1000: 72 h Desmodesmus subspicatus mg/L EC50	6130 - 6700: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 > 10000 mg/L 17 h	933: 48 h Daphnia magna mg/L EC50 4607 - 6577: 48 h Daphnia magna mg/L EC50 Static
o-Phenylphenol 90-43-7	0.85: 72 h Desmodesmus subspicatus mg/L EC50	3.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.74: 96 h Lepomis macrochirus mg/L LC50 2.75: 96 h	Not Available	1 - 2.5: 48 h Daphnia magna mg/L EC50 Static

6081 - STERIPHENE II BRAND DISINFECTANT DEODORANT CLEAN FRESH FRAGRANCE

Oncorhynchus mykiss mg/L
LC50 5.8: 96 h Poecilia
reticulata mg/L LC50 static

Persistence and Degradability:
Bioaccumulation:No information available.
No information available.Other Adverse Effects:No information available

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with

federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN1950
Proper Shipping Name: Aerosols
Hazard Class: 2.1

Special Provisions: This product meets the exception requirements of section 49 CFR 173.306 as a limited

quantity and may be shipped as a limited quantity.

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

Revision Date: 20-Jan-2022

expert for information specific to your situation.

IMDG:

UN/ID No: UN1950
Proper Shipping Name: Aerosols
Hazard Class: 2.1

Additional information: Limited Quantity

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:

Chronic Health Hazard:

No
Fire Hazard:

Sudden release of pressure hazard:

No
Reactive Hazard:

No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

EPA Pesticide Registration Number: 5741-22

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

Revision Date: 20-Jan-2022

Warning. Causes substantial but temporary eye injury. Harmful if absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

16. OTHER INFORMATION

NFPA Health Hazards: 1 Flammability: 4 Instability: 0 Special: *

HMIS Health Hazards: 1 Flammability: 3 Physical Hazards: 2

Revision Date: 20-Jan-2022

Reasons for Revision: Section, 3, 7, 8, 11, and, 12

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet