

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 28-Oct-2019

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name: CLEAN ON THE GO XCELENTE [24]

Product Number: 4803

Recommended Use: Cleaning agent

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

# 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Serious Eye Damage/Eye Irritation: Category 2A

**GHS Label Elements** 

Signal Word: Warning

Symbols:



Hazard Statements: Causes serious eye irritation

**Precautionary Statements:** 

**Prevention:** Wash hands and any exposed skin thoroughly after handling.

Wear eye / face protection

Response:

-Specific Treatment:

**-Eyes** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:Not ApplicableDisposal:Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information: • May be harmful if swallowed.

May cause skin irritation.

• Inhalation of vapors or mist may cause respiratory irritation.

· Keep out of reach of children.

Revision Date: 28-Oct-2019

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
C9-11 Pareth-6	68439-46-3	1-5
Isopropyl Alcohol	67-63-0	1-5
Sodium Caprylyl Sulfonate	5324-84-5	0.1-1
Tetrasodium EDTA	64-02-8	0.1-1
Fragrance	PROPRIETARY	<0.1
Terpineol Acetate	8007-35-0	<0.1
7-Octen-2-ol, 2-Methyl-6-Methylene-, Dihydro Deriv.	53219-21-9	<0.1
Citric Acid	77-92-9	<0.1
4-Tert-Butylcyclohexyl Acetate	32210-23-4	<0.1
Ethylene Brassylate	105-95-3	<0.1
Eucalyptus Globulus Leaf Oil	8000-48-4	<0.1
Diphenyl Ether	101-84-8	<0.1
Benzyl Acetate	140-11-4	<0.1
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2	<0.1
Anisaldehyde	123-11-5	<0.1
Fir Needle Oil	8021-29-2	<0.1
Butylphenyl Methylpropional	80-54-6	<0.1
Benzisothiazolinone	2634-33-5	<0.1
Methylisothiazolinone	2682-20-4	<0.1
Colorant	PROPRIETARY	<0.1
Methylchloroisothiazolinone	26172-55-4	<0.1
Acid Blue 9	3844-45-9	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**-Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Wash with soap and water. If skin irritation occurs: Get medical attention.

-Skin Contact: Wash with soap and water. If skin irritation occurs: Get medical attention.

**-Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

**-Ingestion:** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

Note to Physicians: Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion, Use extinguishing agent suitable for type of

surrounding fire

**Specific Hazards Arising from the** 

Chemical:

Dried product is capable of burning. Combustion products are toxic.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

**Precautions for Firefighters:** protective gear. Cool fire-exposed containers with water spray.

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

**Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.

Methods for Clean-Up: Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Revision Date: 28-Oct-2019

# 7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

**Suggested Shelf Life:** Minimum of 2 years from date of manufacture.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Occupational Exposure Limits:** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	
Diphenyl Ether	STEL: 2 ppm_vapor	TWA: 1 ppm_vapor	IDLH: 100 ppm vapor
101-84-8	TWA: 1 ppm vapor	TWA: 7 mg/m <sup>3</sup> vapor	TWA: 1 ppm vapor
		(vacated) TWA: 1 ppm vapor	TWA: 7 mg/m³ vapor
		(vacated) TWA: 7 mg/m³ vapor	
Benzyl Acetate	TWA: 10 ppm	-	-
140-11-4			

**Engineering Controls:** Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

**Eye/Face Protection:** Wear splash goggles.

**Skin and Body Protection:**Not required with expected use.
Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Revision Date: 28-Oct-2019

Liquid	
Liquid	
Purple	
Pleasant fragrance added	
Undiluted: 7.0-8.0 / Diluted 1:43: 7.5-9.0	
No information available.	
90 °C / 194 °F	
> 90 °C / > 194 °F Pensky-Martens Closed Cup (PMCC)	
< 1 (Butyl acetate = 1)	
No information available.	
0.998	
Soluble in water	
No information available.	

# 10. STABILITY AND REACTIVITY

**Reactivity:** This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight.

Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition May include carbon mo

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

#### 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

**-Eye Contact:** Pain, redness, swelling of the conjunctiva and blurred vision.

**-Skin Contact:** Drying of the skin.

-Inhalation: Nasal discomfort and coughing.-Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: -Eyes. Respiratory System. -Skin.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 30077 mg/kg
ATEmix (dermal): 53520 mg/kg
ATEmix (inhalation-dust/mist): 4686 mg/l

**Component Acute Toxicity Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
C9-11 Pareth-6 68439-46-3	= 1400 mg/kg (Rat)	Not Available	Not Available
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	= 72600 mg/m³ ( Rat ) 4 h
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat)	Not Available	Not Available

Citric Acid 77-92-9	= 3 g/kg (Rat)	Not Available	Not Available
4-Tert-Butylcyclohexyl Acetate 32210-23-4	= 5 g/kg ( Rat )	> 5000 mg/kg ( Rabbit )	Not Available
Eucalyptus Globulus Leaf Oil 8000-48-4	= 2480 mg/kg (Rat)	Not Available	Not Available
Diphenyl Ether 101-84-8	= 2450 mg/kg (Rat)	> 7940 mg/kg ( Rabbit )	Not Available
Benzyl Acetate 140-11-4	= 2490 mg/kg (Rat)	> 5000 mg/kg ( Rabbit )	Not Available
Anisaldehyde 123-11-5	> 2000 mg/kg(Rat)	> 5000 mg/kg ( Rabbit )	> 0.32 mg/L (Rat)7 h
Fir Needle Oil 8021-29-2	= 10200 mg/kg (Rat)	Not Available	Not Available
Butylphenyl Methylpropional 80-54-6	= 1390 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	Not Available
Benzisothiazolinone 2634-33-5	= 1020 mg/kg ( Rat )	Not Available	Not Available
Methylchloroisothiazolinone 26172-55-4	= 481 mg/kg(Rat)	Not Available	= 1.23 mg/L (Rat)4 h

Revision Date: 28-Oct-2019

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	Not Available	Not Available
Citric Acid 77-92-9	Not Available	1516: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	Not Available
Diphenyl Ether 101-84-8	Not Available	4: 96 h Pimephales promelas mg/L LC50 flow-through 4 - 7.9: 96 h Pimephales promelas mg/L LC50 static	Not Available	0.11 - 1.1: 48 h Daphnia magna mg/L LC50
Butylphenyl Methylpropional 80-54-6	Not Available	2.2 - 4.6: 96 h Brachydanio rerio mg/L LC50 static	Not Available	10.7: 48 h Daphnia magna mg/L EC50
Methylchloroisothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	Not Available	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static

Persistence and Degradability:<br/>Bioaccumulation:No information available.<br/>No information available.Other Adverse Effects:No information available.

# 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations.

**Contaminated Packaging:** Dispose of in accordance with federal, state and local regulations.

# 14. TRANSPORT INFORMATION

**DOT:** Not Regulated

Proper Shipping Name: Non-Hazardous Product

**Special Provisions:** Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

Revision Date: 28-Oct-2019

expert for information specific to your situation.

IMDG: Not Regulated

Proper Shipping Name: Non-Hazardous Product

# 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product contains the following listed substances:

# SARA 311/312 Hazard Categories

Acute Health Hazard:YesChronic Health Hazard:NoFire Hazard:NoSudden release of pressure hazard:NoReactive Hazard:No

# **16. OTHER INFORMATION**

NFPA Health Hazards: 2 Flammability: 0 Instability: 0 Special: N/A

HMIS Health Hazards: 2 Flammability: 0 Physical Hazards: 0

Revision Date: 28-Oct-2019

**Reasons for Revision:** Section, 3, 7, 8, 9, 11, and, 12

### **Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**