

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 16-Apr-2020

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name: XTREME BLUE TRIPLE FOAM CONDITIONER

Product Number: 2668

Recommended Use: Cleaning agent

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

#### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Skin Corrosion/Irritation: Category 2
Serious Eye Damage/Eye Irritation: Category 1

**GHS Label Elements** 

Signal Word: Danger

Symbols:

Hazard Statements: Causes skin irritation.

Causes serious eye damage

Precautionary Statements:

**Prevention:** Wash hands and any exposed skin thoroughly after handling.

Wear protective gloves
Wear eye / face protection

Response:

-Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR

PHYSICIAN.

-Skin IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical

attention. Take off contaminated clothing and wash before reuse

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:Not ApplicableDisposal:Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information: · May be harmful if swallowed.

• Inhalation of vapors or mist may cause respiratory irritation.

Do not mix with hypochlorite-type bleach or other household chemicals as hazardous

Revision Date: 16-Apr-2020

vapors or gases may be produced. · Keep out of reach of children.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Alkylbenzene Sulfonic Acid	68584-22-5	5-10
Fragrance	PROPRIETARY	1-5
Triethanolamine	102-71-6	1-5
Sodium Laureth Sulfate	9004-82-4	1-5
Acid Blue 9	3844-45-9	0.1-1
Benzaldehyde	100-52-7	0.1-1
Phosphoric Acid	7664-38-2	0.1-1
Ethyl Methylphenylglycidate	77-83-8	<0.1
Limonene	5989-27-5	<0.1
Benzyl Acetate	140-11-4	<0.1
Delta Damascone	57378-68-4	<0.1
Citral	5392-40-5	<0.1
Methylchloroisothiazolinone	26172-55-4	<0.1
Methylisothiazolinone	2682-20-4	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. -Skin Contact:

Wash with plenty of soap and water. Take off contaminated clothing and wash before

reuse. If skin irritation occurs: Get medical attention.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a -Inhalation:

poison control center or physician if you feel unwell.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious -Ingestion:

person. Get medical attention if you feel unwell.

Treat symptomatically. Note to Physicians:

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion, Use extinguishing agent suitable for type of

surrounding fire

Specific Hazards Arising from the

Chemical:

Dried product is capable of burning. Combustion products are toxic. Contact with metals

may evolve flammable hydrogen gas.

**Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

**Protective Equipment and Precautions for Firefighters:**  Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** 

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

**Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.

**Methods for Clean-Up:** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Revision Date: 16-Apr-2020

#### 7. HANDLING AND STORAGE

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly Advice on Safe Handling:

after handling.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach **Storage Conditions:** 

of children. Keep from freezing.

**Incompatible Materials:** Sodium hypochlorite (or other hypochlorites). Strong bases. Reactive metals such as

aluminum, zinc and tin.

Minimum of 2 years from date of manufacture. Suggested Shelf Life:

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Occupational Exposure Limits:** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Triethanolamine 102-71-6	TWA: 5mg/m <sup>3</sup>	-	-
Phosphoric Acid 7664-38-2	STEL: 3 mg/m³ TWA: 1 mg/m³	TWA: 1 mg/m³ (vacated) TWA: 1 mg/m³ (vacated) STEL: 3 mg/m³	IDLH: 1000 mg/m³ TWA: 1 mg/m³ STEL: 3 mg/m³
Benzyl Acetate 140-11-4	TWA: 10 ppm	-	-
Citral 5392-40-5	TWA: 5 ppm inhalable fraction and vapor S*	-	-

**Engineering Controls:** Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

**Personal Protective Equipment** 

**Eye/Face Protection: Skin and Body Protection:**  Wear splash goggles. For severe use-conditions, wear a face shield over the goggles.

Wear rubber or other chemical-resistant gloves.

**Respiratory Protection:** Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a

NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

Wash hands and any exposed skin thoroughly after handling. **General Hygiene Considerations:** 

See 29 CFR 1910.132-138 for further guidance.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Revision Date: 16-Apr-2020

uid
e
erry fragrance
-2.0
information available.
) °C / 212 °F
100 °C / > 212 °F Estimated
I.0 (Butyl acetate = 1)
information available.
18
uble in water
information available.
information available.
information available.
information available.

# 10. STABILITY AND REACTIVITY

**Reactivity:** This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Contact with sodium hypochlorite (or other hypochlorites) releases chlorine gas. Contact

with aluminum or other reactive metals may release hydrogen gas.

**Conditions to Avoid:** Extremes of temperature and direct sunlight.

Incompatible Materials: Sodium hypochlorite (or other hypochlorites). Strong bases. Reactive metals such as

aluminum, zinc and tin.

**Hazardous Decomposition** 

**Products:** 

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

#### 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

**-Eye Contact:** Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact: Pain, redness and cracking of the skin.
 -Inhalation: Nasal discomfort and coughing.
 -Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

#### **Numerical Measures of Toxicity**

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 9378 mg/kg
ATEmix (dermal): 4151 mg/kg
ATEmix (inhalation-dust/mist): 218 mg/l

**Component Acute Toxicity Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg(Rat)	Not Available	Not Available
Alkylbenzene Sulfonic Acid 68584-22-5	= 775 mg/kg (Rat)	= 2000 mg/kg(Rabbit)	Not Available
Triethanolamine 102-71-6	= 4190 mg/kg (Rat)	> 20 mL/kg(Rabbit)	Not Available

Sodium Laureth Sulfate 9004-82-4	= 1600 mg/kg (Rat)	Not Available	Not Available
Benzaldehyde 100-52-7	= 1292 mg/kg (Rat)	> 1250 mg/kg (Rabbit)	Not Available
Phosphoric Acid 7664-38-2	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m³ (Rat) 1 h
Ethyl Methylphenylglycidate 77-83-8	= 5470 mg/kg (Rat)	Not Available	Not Available
Limonene 5989-27-5	= 5200 mg/kg ( Rat ) = 4400 mg/kg ( Rat )	> 5 g/kg(Rabbit)	Not Available
Benzyl Acetate 140-11-4	= 2490 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available
Citral 5392-40-5	= 4960 mg/kg (Rat)	= 2250 mg/kg(Rabbit)	Not Available
Methylchloroisothiazolinone 26172-55-4	= 481 mg/kg ( Rat )	Not Available	= 1.23 mg/L (Rat) 4 h

Revision Date: 16-Apr-2020

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Alkylbenzene Sulfonic Acid 68584-22-5	Not Available	3: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	2.9: 48 h Daphnia magna mg/L EC50
Triethanolamine 102-71-6	216: 72 h Desmodesmus subspicatus mg/L EC50 169: 96 h Desmodesmus subspicatus mg/L EC50	10600 - 13000: 96 h Pimephales promelas mg/L LC50 flow-through 1000: 96 h Pimephales promelas mg/L LC50 static 450 - 1000: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	Not Available
Benzaldehyde 100-52-7	Not Available	10.6 - 11.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12.69: 96 h Oncorhynchus mykiss mg/L LC50 static 0.8 - 1.44: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.8 - 8.53: 96 h Pimephales promelas mg/L LC50 flow-through 7.5: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 4.85 mg/L 30 min EC50 = 5.08 mg/L 15 min EC50 = 6.11 mg/L 5 min	Not Available
Limonene 5989-27-5	Not Available	0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	Not Available	Not Available
Citral 5392-40-5	16: 72 h Desmodesmus subspicatus mg/L EC50 19: 96 h Desmodesmus subspicatus mg/L EC50	Not Available	Not Available	7: 48 h Daphnia magna mg/L EC50
Methylchloroisothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	Not Available	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static

Persistence and Degradability:No information available.Bioaccumulation:No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations. **Contaminated Packaging:** Dispose of in accordance with federal, state and local regulations.

#### 14. TRANSPORT INFORMATION

DOT: Not Regulated

**Proper Shipping Name:** Non-Hazardous Product

**Special Provisions:** Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

Revision Date: 16-Apr-2020

expert for information specific to your situation.

Not Regulated IMDG:

**Proper Shipping Name:** Non-Hazardous Product

# 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product does not contain listed substances above the "de minimus" level

#### SARA 311/312 Hazard Categories

**Acute Health Hazard:** Yes **Chronic Health Hazard:** No Fire Hazard: No Sudden release of pressure hazard: No **Reactive Hazard:** No

#### **California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

#### **16. OTHER INFORMATION**

Health Hazards: 2 Flammability: 0 Instability: 0 Special: N/A NFPA

Health Hazards: 2 Physical Hazards: 0 **HMIS** Flammability: 0

**Revision Date:** 16-Apr-2020

Reasons for Revision: Section 3 8 11 and 12

### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**