

SAFETY DATA SHEET

Product Name : Basic 081-L

Date Issued : September 7, 2022

SECTION 1 : PRODUCT AND COMPANY IDENTIFICATION

Product Name: Basic 081-L
Formula : Multi-component mixture

Chemical Synonym / C# : c081
Chemical Family: Alkaline detergent

Supplier : Americhem International, 412 East 6th Avenue, Altoona, Pa. 16602

Information Telephone : 800-262-4360

Emergency Telephone : 607-529-3218

SECTION 2 : HAZARD IDENTIFICATION

Form : liquid **Color :** light amber to brown

Emergency Overview : Solutions and powders are severe eye irritants, and prolonged or repeated contact may cause skin irritation. Dusts and mists are irritating to the skin, mucous membranes, and upper respiratory tract. Read the entire SDS for a more thorough evaluation of the hazards.

OSHA Hazard Communication Standard : This product has been evaluated and classified as defined by OSHA Hazard Communication Standard, 29CFR 1910.1200.

GHS Classification :

Skin corrosion/irritation (Category 2)

Serious eye damage/eye irritation (Category 2)

Carcinogenicity (Category 2)

Hazardous to the aquatic environment, acute hazard (Category 2)

Hazardous to the aquatic environment, long-term hazard (Category 3)

Signal Word : Danger



Exclamation Mark,



Health Hazard

GHS Hazard Pictograms :

Hazard Statements :

H315 Causes skin irritation

H319 Causes serious eye irritation

H351 Suspected of causing cancer

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements :

P102 Keep out of reach of children.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P353 + P363 IF ON SKIN: Rinse skin with water/shower. Wash contaminated clothing before reuse.

P332 + P313 IF SKIN irritation occurs: Get medical advice/attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 IF eye irritation persists: Get medical advice/attention.

P301 + P330 + P312 IF SWALLOWED: Rinse mouth. call a POISON CENTER or doctor/physician IF you feel unwell.

P304 + P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P342 + P311 IF experiencing respiratory symptoms: call a POISON CENTER or doctor/physician.

SAFETY DATA SHEET

Product Name : Basic 081-L

Date Issued : September 7, 2022

Precautionary Statements, *continued* :

P401 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification :

None known. See Section 11 for Potential Health Hazards

SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	CAS #	% (w/w)
Diethanolamine	111-42-2	5 - 10
Na4 Ethylenediaminetetraacetate	64-02-8	1 - 5

Unlisted components are considered non-hazardous as per 29CFR1910.1200g2C. See section 15 for specific state right-to-know information if applicable.

SECTION 4 : FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Skin Contact: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Inhalation: Move to fresh air. Call a physician if symptoms develop or persist.

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

Notes to physician : Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5 : FIRE FIGHTING MEASURES

Extinguishing Media: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Fire Fighting Procedures: In the event of fire, cool tanks with water spray. Cool containers exposed to flames with water until well after the fire is out. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Unusual Fire and Explosion Hazards: During fire, gases hazardous to health may be formed. No unusual fire or explosion hazards noted.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

Personal precautions : Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Environmental precautions : Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

SAFETY DATA SHEET

Product Name : Basic 081-L

Date Issued : September 7, 2022

Steps to be taken in case material is released or spilled:

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

SECTION 7 : HANDLING AND STORAGE

Handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get this material in contact with eyes. Avoid contact with skin. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Storage Requirements: Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous Ingredient	ACGIH TLV (mg/m3) TWA	ACGIH TLV (mg/m3) STEL
Diethanolamine	15	-
Na4 Ethylenediaminetetraacetate	-	-

Engineering measures :

Ventilation / Local Exhaust / Mechanical Recommendations: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Personal protective equipment :

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Skin Protection: Wear appropriate chemical resistant clothing.

Eye Protection: Wear safety glasses with side shields (or goggles) and a face shield.

Other Protective Equipment: Wear appropriate chemical resistant clothing if splashing evident. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SAFETY DATA SHEET

Product Name : *Basic 081-L*

Date Issued : *September 7, 2022*

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

Appearance / Odor: Clear light amber to brown liquid, odor mild.
Water Solubility: Complete **pH (1%):** 9 - 10
Specific Gravity: 1.04 **Boiling Point (°F) :** 212+
Evaporation Rate(water=1): N/A **% Volatile:** N/A
Vapor Density(air=1) : N/A **Vapor Pressure(mmHg):** N/A
Flash Point : None **Flash Point Method Used:** N/A
Flammable Limits: LEL = N/A **UEL =** N/A **% VOC:** 1.2

SECTION 10 : STABILITY AND REACTIVITY

Hazardous Decomposition Products: No hazardous decomposition products are known.
Chemical Stability: Material is stable under normal conditions. The product is stable and non-reactive under normal conditions of use, storage and transport.
Conditions to Avoid: Avoid temperatures exceeding the flash point. Contact with incompatible materials. No dangerous reaction known under conditions of normal use.
Incompatibility with other Substances: Strong acids.
Hazardous Polymerization: Hazardous polymerization will not occur.

SECTION 11 : TOXICOLOGICAL INFORMATION

Potential Health Hazards (as mild alkaline or detergent blend) :

Inhalation: Inhalation of mists or dusts may cause irritation to respiratory tract. Symptoms from excessive inhalation or of concentrated product may include gasping or coughing and difficulty breathing. Excessive contact may cause damage to the nasal septum.
Skin Contact: May cause mild irritation. Concentrated or prolonged contact may cause irritation with redness and blistering.
Eye Contact: May cause mild irritation. Concentrated or prolonged contact may cause conjunctival edema and corneal destruction.
Ingestion: Swallowing may produce gastrointestinal upset. Symptoms from ingestion of large doses may include severe abdominal pain, vomiting, and diarrhea.

Toxicological Data (for diethanolamine):

Acute toxicity Not available.
Skin corrosion/irritation Causes skin irritation.
Serious eye damage/eye irritation Causes serious eye damage.
Respiratory sensitization Not available.
Skin sensitization This product is not expected to cause skin sensitization.
Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity Suspected of causing cancer.
IARC Monographs. Overall Evaluation of Carcinogenicity : Diethanolamine (CAS 111-42-2) 2B
Possibly carcinogenic to humans.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.
Reproductive toxicity This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure : Not applicable.
Specific target organ toxicity - repeated exposure : Not applicable.
Aspiration hazard Not applicable.
Chronic effects Prolonged exposure may cause chronic effects.

SAFETY DATA SHEET

Product Name : Basic 081-L

Date Issued : September 7, 2022

Toxicological Data (as Na4 Ethylenediaminetetraacetate):

Acute oral toxicity : LD50: 1,780 mg/kg

Species: Rat Read-across (Analogy)

Acute inhalation toxicity : LC50 (Rat): > 1 - 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Eye irritation : Result: Eye irritation

Target Organ Systemic Toxicant - Repeated exposure : Routes of exposure: Inhalation - May cause damage to organs through prolonged or repeated exposure.

SECTION 12 : ECOLOGICAL INFORMATION

Ecotoxicological Information (for the blended product): No data found for this product.

Ecotoxicological Information (for diethanolamine):

Movement & Partitioning : Bioconcentration potential is low (BCF less than 100 or Log Pow less than 3). Potential for mobility in soil is very high (Koc between 0 and 50).

Persistence and Degradation : Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD greater than 40%). Material is ultimately biodegradable. Reaches more than 70% mineralization in OECD test for inherent biodegradability. Material is readily biodegradable. Passes OECD test (s) for ready biodegradability.

Ecotoxicity : Material is slightly toxic to aquatic organisms on an acute basis (LC50 between 10 and 100 mg/L in most sensitive species).

Ecotoxicological Information (as Na4 Ethylenediaminetetraacetate):

Ecotoxicity effects

Toxicity to fish : LC50: > 100 mg/l Exposure time: 96 h Species: Fish

Toxicity to daphnia and other

aquatic invertebrates : EC50: > 500 mg/l Exposure time: 24 h Species: Daphnia magna (Water flea)

Toxicity to algae : EC50: > 100 mg/l Exposure time: 72 h Species: algae

Elimination information (persistence and degradability)

Bioaccumulation : No data available

Mobility : No data available

Biodegradability : Result: Not readily biodegradable.

Biochemical Oxygen Demand (BOD) : No data available

SECTION 13 : DISPOSAL CONSIDERATIONS

Waste Disposal Method: Recycle, recovery and reuse of materials, where permitted, is encouraged as an alternate to disposal as a waste. Hazardous waste classification under federal regulations (40 CFR Part 261 et seq) is dependent upon whether a material is a RCRA listed hazardous waste or has any of the four RCRA hazardous waste characteristics. Refer to 40 CFR Part 261.33 to determine if a given material to be disposed of is a RCRA listed hazardous waste. RCRA Hazardous Waste Characteristics: There are four characteristics defined in 40 CFR Section 261.21-61.24: *Ignitability, Corrosivity, Reactivity, and Toxicity*. To determine Ignitability, see Section 9 of this SDS (flash point). For Corrosivity, see Sections 9 and 14 (pH and DOT corrosivity). For Reactivity, see Section 10 (incompatible materials). For Toxicity, see Section 2 (composition). Federal regulations are subject to change. State and local requirements, which may differ from or be more stringent than the federal regulations, may also apply to the classification of the material if it is to be disposed.

Is the unused product a RCRA hazardous waste (40CFR261.33) if discarded? No

If yes, the RCRA ID number is : N/A

SAFETY DATA SHEET

Product Name : Basic 081-L

Date Issued : September 7, 2022

SECTION 14 : TRANSPORTATION INFORMATION

Transportation Emergency Telephone Number: 3E 24 hour number : (866)302-6855*

*Please refer to c# referenced in section 1 of this sds.

UN Number / DOT Proper Shipping Name / DOT Hazard Class /Packing Group / DOT Label & other information: NOT REGULATED BY DOT (mildly alkaline cleaning liquid NOIBN)

SECTION 15 : REGULATORY INFORMATION

US FEDERAL REGULATIONS :

TSCA (Toxic Substances Control Act) Status : The intentional ingredients of this product are listed.

CERCLA RQ - 40 CFR 302.4(a) :

<u>Component</u>	<u>RQ (lbs)</u>
Diethanolamine	100

Spills or releases resulting in the loss of any ingredient at or above its RQ requires immediate notification to the National Response Center (800) 424-8802 and to your Local Emergency Planning Committee.

SARA 302 Components - 40 CFR 355 Appendix A

<u>Section 302 Component(s)</u>	<u>TPQ (lbs)</u>	<u>RQ (lbs)</u>
Diethanolamine		100

SARA 311/312 Classification - 40 CFR 370.2 :

(as Diethanolamine) Immediate Hazard, Delayed Hazard

(as Na4 Ethylenediaminetetraacetate) Acute Health Hazard, Chronic Health Hazard

SARA 313 Components - 40 CFR 372.65:

<u>Section 313 Component(s)</u>	<u>CAS #</u>	<u>%</u>
Diethanolamine	111-42-2	5 - 10

INTERNATIONAL REGULATIONS :

Diethanolamine (CAS# 111-42-2) is listed on the following inventories : Australian Inventory of Chemical Substances (AICS), Canada Domestic Substances List (DSL), Inventory of Existing Chemical Substances in China (IECSC), European Inventory of Existing Commercial Chemical Substances (EINECS), Korea Existing Chemicals List (ECL), New Zealand Inventory, Philippine Inventory of Chemicals and Chemical Substances (PICCS)

Na4 Ethylenediaminetetraacetate (CAS#64-02-8) is listed on the following inventories, or is in compliance with the following inventories : CH INV (Switzerland. New notified substances and declared preparations), DSL (Canadian Domestic Substances List), AICS (Australia Inventory of Chemical Substances), ENCS (Japan - Existing and New Chemical Substances Inventory), ISHL (Japan - Inventory of Chemical Substances), KECI (Korean Existing Chemicals Inventory), PICCS (Philippines Inventory of Chemicals and Chemical Substances), IECSC (Inventory of Existing Chemical Substances in China)

SAFETY DATA SHEET

Product Name : Basic 081-L

Date Issued : September 7, 2022

STATE REGULATIONS :

California Safe Drinking Water Act (Prop. 65) Listing : WARNING! This product contains a chemical known to the State of California to cause cancer. Diethanolamine 111-42-2

Other Regulations / Legislation which apply to this product:

Diethanolamine (CAS# 111-42-2) is listed on the following inventories : New Jersey Community RTK (EHS Survey), Pennsylvania RTK - Hazardous Substances, Massachusetts RTK - Substance List, Rhode Island RTK

Na4 Ethylenediaminetetraacetate (CAS#64-02-8) is listed on the following inventories : Pennsylvania Right To Know, New Jersey Right To Know

SECTION 16 : OTHER INFORMATION

NFPA Rating : HEALTH: 2 FLAMMABILITY: 0 REACTIVITY: 0
NFPA hazard degree designation 704: 4 = extreme, 3 = high, 2 = moderate, 1 = slight, 0 = none.

Revision Date : 11/8/2019

Information and data compiled to compose this SDS is correct to the best of our knowledge as of the printed date, and is offered solely for your consideration, investigation, and verification.