SAFETY DATA SHEET 562: CONCENTRATE

> Conforms to 1910.1200 Issued: April 13, 2018

## **RITE STRIP**

1: PRODUCT AND COMP			
Product Name:	RiteStrip HD	Product Number:	562
Recommended Use:	Non-ammoniated, heavy duty stripper		
	Concentrate - dilute prior to use.		
	Product intended for commercial and industrial use only.		
Uses Advised Against:	Other than per labelled instructions		
Supplier Address:			

Americhem International Inc. 1401 AIP Drive Middletown, PA 17057 Telephone: 171-939-7100 Internet: www.americhem.net

FOR CHEMICAL EMERGENCY: Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night. Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

### 2: HAZARDS IDENTIFICATION

<u>Classification:</u> Skin Corrosion - Category 1B Eye Damage - Category 1 Specific Target Organ Toxicity (Single Exposure) - Category 3

Signal Word: DANGER



#### Hazard Statements:

Pictogram:

Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.

#### **Precautionary Statements:**

Do not breathe mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wash thoroughly after handling.

Wear protective gloves and eye protection/face protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician if you feel unwell.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed

Store locked up.

Dispose of contents/container according to local, regional and national regulations.

Other Hazards: None known

Supplemental Information:

None known

SAFETY DATA SHEET 562: CONCENTRATE

Conforms to 1910.1200 Issued: April 13, 2018

## **RITE STRIP**

4: FIRST AID MEASURE DECRIPTION OF FIRST A Eye Contact: In case of	ID MEASURES	CAS Number 111-76-2	Weight % *
monoethanolamine * Exact concentration of the ingred 4: FIRST AID MEASURE DECRIPTION OF FIRST A Eye Contact: In case of	ents has been withheld as a trade secret. S ID MEASURES		Weight /0
* Exact concentration of the ingred 4: FIRST AID MEASURE DECRIPTION OF FIRST A Eye Contact: In case of	S ID MEASURES		10 - 30
4: FIRST AID MEASURE DECRIPTION OF FIRST A Eye Contact: In case of	S ID MEASURES	141-43-5	7 - 13
DECRIPTION OF FIRST A Eye Contact: In case of	ID MEASURES		
Eye Contact: In case of			
contact le	contact, immediately flush eye with plenty of nses, if worn). Seek medical attention.	water for at least 15 minutes. (If ea	asy to do, remove
Skin Contact: In case of	contact, immediately flush skin with plenty of ted clothing and shoes. Seek medical attenti		e removing
Inhalation: If breathin	g is difficult. Remove subject to fresh air. Se sician or poison control center. Do not induce	ek medical attention immediately.	mmediately.
MOST IMPORTANT SYM	TOMS AND EFFECTS, BOTH ACUTE AND	DELAYED	
Eye Contact: Causes e			
Skin Contact: Causes s Inhalation: May caus		at and respiratory tract	
	e irritation and corrosive effects to nose, throa e burns to mouth, throat and stomach.	at and respiratory tract.	
•			
	TE MEDICAL ATTENTION AND SPECIAL T ptomatically.	REATMENT NEEDED	
5: FIRE-FIGHTING MEA			
Suitable Extinguishing m		al, alcohol-type or universal type for	
Specific Hazards:	• •	s 8 and 10.) Do not spray a solid	stream of water or foam
Protective Equipment an			a apparatus Materials
		/e 100º C / 212º F	
	can splatter abov		g apparates. Materialo
6: ACCIDENTAL RELEA			g apparatus. Materials
6: ACCIDENTAL RELEA Personal Precautions:	SE MEASURES Put on personal protective equ	uipment (see Section 8). Keep sp	
Personal Precautions:	SE MEASURES Put on personal protective equ may be slippery: use care to a	avoid falling.	ectators away. Floors
Personal Precautions: Environment Precautions	SE MEASURES Put on personal protective equination may be slippery: use care to a Keep spills and cleaning run-c		ectators away. Floors
Personal Precautions: Environment Precautions CONTAINMENT AND CLE	SE MEASURES Put on personal protective equination may be slippery: use care to a Keep spills and cleaning run-content of the spills and clean of the spills and c	avoid falling. off out of sewers and open bodies	ectators away. Floors of water.
Personal Precautions: Environment Precautions	SE MEASURES Put on personal protective equination of the slippery: use care to a Keep spills and cleaning run-or the spill with inert material (e.g. sand, etc.)	avoid falling. off out of sewers and open bodies	ectators away. Floors of water.
Personal Precautions: Environment Precautions CONTAINMENT AND CLE Small Spills:	SE MEASURES Put on personal protective equinary be slippery: use care to a Keep spills and cleaning run-o An-UP Absorb spill with inert material (e.g. sand, e with local, state and federal regulations.	avoid falling. off out of sewers and open bodies earth) and dispose of as waste ma	ectators away. Floors of water. terial in accordance
Personal Precautions: Environment Precautions CONTAINMENT AND CLE	SE MEASURES Put on personal protective equination of the slippery: use care to a Keep spills and cleaning run-or the spill with inert material (e.g. sand, etc.)	avoid falling. off out of sewers and open bodies earth) and dispose of as waste ma .g. sand, earth). Transfer liquid to	ectators away. Floors of water. terial in accordance
Personal Precautions: Environment Precautions CONTAINMENT AND CLE Small Spills:	SE MEASURES Put on personal protective equinary be slippery: use care to a Keep spills and cleaning run-or AN-UP Absorb spill with inert material (e.g. sand, e with local, state and federal regulations. Dike and contain spill with inert material (e or disposal and solid diking material to sep Landfill or incinerate the contaminated solid	avoid falling. off out of sewers and open bodies earth) and dispose of as waste ma .g. sand, earth). Transfer liquid to parate containers for disposal. ds and diking material in accordan	ectators away. Floors of water. terial in accordance containers for recovery ce with local, state and
Personal Precautions: Environment Precautions CONTAINMENT AND CLE Small Spills: Large Spills:	SE MEASURES Put on personal protective equinary be slippery: use care to a Keep spills and cleaning run-or Keep spills and cleaning run-or AN-UP Absorb spill with inert material (e.g. sand, e with local, state and federal regulations. Dike and contain spill with inert material (e or disposal and solid diking material to sep Landfill or incinerate the contaminated solid federal regulations. Non-salvageable liquid	avoid falling. off out of sewers and open bodies earth) and dispose of as waste ma .g. sand, earth). Transfer liquid to parate containers for disposal. ds and diking material in accordan	ectators away. Floors of water. terial in accordance containers for recovery ce with local, state and
Personal Precautions: Environment Precautions CONTAINMENT AND CLE Small Spills: Large Spills: Waste Disposal:	SE MEASURES Put on personal protective equinary be slippery: use care to a Keep spills and cleaning run-or AN-UP Absorb spill with inert material (e.g. sand, e with local, state and federal regulations. Dike and contain spill with inert material (e or disposal and solid diking material to sep Landfill or incinerate the contaminated solid federal regulations. Non-salvageable liquid local, state and federal regulations.	avoid falling. off out of sewers and open bodies earth) and dispose of as waste ma .g. sand, earth). Transfer liquid to parate containers for disposal. ds and diking material in accordan	ectators away. Floors of water. terial in accordance containers for recovery ce with local, state and
Personal Precautions: Environment Precautions CONTAINMENT AND CLE Small Spills: Large Spills:	SE MEASURES Put on personal protective equinary be slippery: use care to a Keep spills and cleaning run-or AN-UP Absorb spill with inert material (e.g. sand, e with local, state and federal regulations. Dike and contain spill with inert material (e or disposal and solid diking material to sep Landfill or incinerate the contaminated solid federal regulations. Non-salvageable liquid local, state and federal regulations.	avoid falling. off out of sewers and open bodies earth) and dispose of as waste ma .g. sand, earth). Transfer liquid to parate containers for disposal. ds and diking material in accordan	ectators away. Floors of water. terial in accordance containers for recovery ce with local, state and
Personal Precautions: Environment Precautions CONTAINMENT AND CLE Small Spills: Large Spills: Waste Disposal:	SE MEASURES         Put on personal protective equality         may be slippery: use care to a Keep spills and cleaning run-or         An-UP         Absorb spill with inert material (e.g. sand, evith local, state and federal regulations.         Dike and contain spill with inert material (e or disposal and solid diking material to sep Landfill or incinerate the contaminated solid federal regulations. Non-salvageable liquid local, state and federal regulations.         RAGE         dling:       Avoid contact with eyes, skin at the solid contact with eyes at the solid contact with eyes, ski at the	avoid falling. off out of sewers and open bodies earth) and dispose of as waste ma .g. sand, earth). Transfer liquid to barate containers for disposal. ds and diking material in accordan d should be drummed and dispose and clothing. Wash thoroughly aft	ectators away. Floors of water. terial in accordance containers for recovery ce with local, state and d of in accordance with er handling. Use only
Personal Precautions: Environment Precautions CONTAINMENT AND CLE Small Spills: Large Spills: Waste Disposal: 7: HANDLING AND STO	SE MEASURES         Put on personal protective equality         may be slippery: use care to a Keep spills and cleaning rundom         An-UP         Absorb spill with inert material (e.g. sand, equivation of the spill with inert material (e.g. sand, equivation of the spill with inert material (e.g. sand, equivation of the spill with inert material (e or disposal and solid diking material to sep Landfill or incinerate the contaminated solid federal regulations. Non-salvageable liquid local, state and federal regulations.         RAGE         dling:       Avoid contact with eyes, skin a in well-ventilated areas. Avoid	avoid falling. off out of sewers and open bodies earth) and dispose of as waste ma or g. sand, earth). Transfer liquid to barate containers for disposal. ds and diking material in accordant d should be drummed and dispose and clothing. Wash thoroughly aft d breathing vapors or mists. Remo	ectators away. Floors of water. terial in accordance containers for recovery ce with local, state and d of in accordance with er handling. Use only
Personal Precautions: Environment Precautions CONTAINMENT AND CLE Small Spills: Large Spills: Waste Disposal: 7: HANDLING AND STO Precautions for Safe Har	SE MEASURES Put on personal protective equinary be slippery: use care to a Keep spills and cleaning runce AN-UP Absorb spill with inert material (e.g. sand, evith local, state and federal regulations. Dike and contain spill with inert material (e or disposal and solid diking material to sep Landfill or incinerate the contaminated solid federal regulations. Non-salvageable liquid local, state and federal regulations. RAGE dling: Avoid contact with eyes, skin a in well-ventilated areas. Avoid contaminated clothing and for	avoid falling. off out of sewers and open bodies earth) and dispose of as waste ma or g. sand, earth). Transfer liquid to barate containers for disposal. ds and diking material in accordant d should be drummed and dispose and clothing. Wash thoroughly aft d breathing vapors or mists. Remo- bate	ectators away. Floors of water. terial in accordance containers for recovery ce with local, state and d of in accordance with er handling. Use only
Personal Precautions: Environment Precautions CONTAINMENT AND CLE Small Spills: Large Spills: Waste Disposal: 7: HANDLING AND STO	SE MEASURES         Put on personal protective equality         may be slippery: use care to a Keep spills and cleaning runctor         AN-UP         Absorb spill with inert material (e.g. sand, even with local, state and federal regulations.         Dike and contain spill with inert material (e or disposal and solid diking material to sep Landfill or incinerate the contaminated solid federal regulations. Non-salvageable liquid local, state and federal regulations.         RAGE         dling:       Avoid contact with eyes, skin a in well-ventilated areas. Avoid contaminated clothing and foor Storage temperature (Max. 60)	avoid falling. off out of sewers and open bodies earth) and dispose of as waste ma or g. sand, earth). Transfer liquid to barate containers for disposal. ds and diking material in accordant d should be drummed and dispose and clothing. Wash thoroughly aft d breathing vapors or mists. Remo- bate	ectators away. Floors of water. terial in accordance containers for recovery ice with local, state and d of in accordance with er handling. Use only ove and wash
Protective Equipment an		uld wear NIOSH approved breathin	a apparatus Materials

## SAFETY DATA SHEET **562: CONCENTRATE**

Conforms to 1910.1200 Issued: April 13, 2018

## **RITE STRIP**

#### EXPOSURE CONTROLS/PERSONAL PROTECTION 8:

· ·			ACC	ын	OSH	łA	
Ingred	ient	CAS Number	TWA	STEL	TWA	STEL	
2-butoxye	ethanol	111-76-2 20 ppm (BEI) NL 50 ppm		111-76-2		NL 50 ppm (skin)	NL
monoethan	olamine	141-43-5	3 ppm	6 ppm	3 ppm	NL	
Engineering Controls:	Use only with adequate wairborne contaminants be contains ingredients with of ventilation and other co	elow established and re exposure limits, monite	ecommended ex	posure limi	its. If this produ	uct	
Personal Protective Equipr	nent (PPE)						
Eye/Face Protection:	Safety eyewear is recom	mended, to avoid chem	nical splashes ar	nd mists.			
Skin Protection:	Chemical resistant gloves	s are recommended.					
Respiratory Protection:	Respiratory protection sh	ould be worn when the	ere is a potential	of inadequ	ate ventilation.	lf	
	exposure limits are excee	eded or symptoms are	experienced, us	e an appro	ved respirator.		
Hygiene Measures:	Handle in accordance with	th good industrial hygie	ene and safety p	ractice.			
9: PHYSICAL AND CHEM	CAL PROPERTIES						
Appearance:	clear, red liq	uid					
Odor:	slight lemon						
Odor Threshold:	data not ava	ilable					
pH:	12.6						
Freezing Point:	data not ava	ilable					
Boiling Point:	data not ava	ilable					
Flash Point:	>200°F / >93	3°C					
Evaporation Rate:	less than wa	iter					
Flammability (solid/gas):	not applicab	le to liquids					
Flammability limits:	data not ava	ilable					
Vapor Pressure:	data not ava	ilable					
Vapor Density:	data not ava	ilable					
Relative Density:	8.3 lb/gal @	68°F / 1.0 kg/l @ 20°C	;				
Solubility:	miscible in w	vater					
Partition Coefficient:	data not ava	ilable					
Auto Ignition temperature:	data not ava	ilable					
Decomposition Temperatu	re: data not ava	ilable					
Viscosity:		ise @ 68ºF (20ºC)					
VOC:	33% (as sup	oplied), 6.5% (1:4), 3.69	% (1:8), 2.9% (1:	10)			

#### 10: STABILITY AND REACTIVITY

Reactivity:	Not reactive under normal conditions.		
Stability:	Stable under normal conditions.		
Hazardous reactions:	Adding water directly to the product may generate heat and cause product to splash. To avoid adverse reaction, always add product to water, do not add water to product.		
Conditions to avoid:	Improper order of dilution		
Incompatible materials:	Strong acids and oxidizing agents. Do not mix with other chemicals unless stated on the product label.		
Hazardous decomposition products: carbon monoxide, carbon dioxide and nitrogen oxides			
11: TOXICOLOGICAL INFO	ORMATION		
ACUTE TOXICITY:	Toxicity testing has not been completed on the mixture.		

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

## 562: CONCENTRATE

Conforms to 1910.1200 Issued: April 13, 2018

# **RITE STRIP**

ATE <sub>mix</sub> (oral):	> 2000 mg/kg
ATE <sub>mix</sub> (dermal):	> 2000 mg/kg
ATE mix (inhalation):	> 20 mg/l (4 hr/vapour)
LOCAL EFFECTS	
Skin contact:	Causes severe skin burns.
Eye contact:	Causes serious eye damage.
Inhalation:	May cause respiratory irritation.
Sensitization:	None expected
Chronic effects:	None expected
SPECIFIC EFFECTS	
Carcinogenicity:	None known
Reproductive effects:	None known
Teratogenicity:	None known

# COMPONENT INFORMATION

Component	LD50 Oral- Rat (mg/kg)	LD50 Dermal - Rabbit (mg/kg)	LC₅₀ Inhalation- Rat (mg/l)
2- butoxyethanol	470	220	2.2 (4 hr)
monoethanolamine	1720	1025	N/A

#### Carcinogenicity:

**Mutagenicity:** 

Component	IARC	NTP	OSHA
2- butoxyethanol	IARC 3	N/L	N/L

12: ECOLOGICAL INFORMATION
----------------------------

None known

Ecotoxicity:	Ecological testing has not been completed on the mixture.
Persistence and Degradability:	Data not available.
Bioaccumulative Potential:	Data not available.
Mobility in Soil:	Data not available.
Other Adverse Effects:	Data not available.

#### 13: DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, regional and national regulations.

#### 14: TRANSPORT INFORMATION

<u>UN Number:</u>	UN1760
UN Proper Shipping Name:	Corrosive liquid, n.o.s. (monoethanolamine)
Hazard Class:	8
Packing Group:	III
Marine Pollutant:	None
Transport in Bulk:	N/A
Other Information:	Package volumes <5 L each are shipped as Limited Quantity; as permitted by hazard class and quantity exemption.

#### 15: REGULATORY INFORMATION

#### U.S. REGULATIONS/REPORTING:

Ingredient	CAS Number	SARA 302/304	SARA 313	CERCLA
2- butoxyethanol	111-76-2	N/L	5% †	RQ not assigned

†- listed as Glycol Ethers

SAFETY DATA SHEET 562: CONCENTRATE

> Conforms to 1910.1200 Issued: April 13, 2018

## **RITE STRIP**

#### STATE RIGHT-TO-KNOW STATUS:

Ingredient	CAS Number	MA - RTK	NJ - RTK	PA - RTK	RI - RTK
2- butoxyethanol	111-76-2	present	present	present	present
monoethanolamine	141-43-5	present	present	present	present

#### **CALIFORNIA PROPOSITION 65:**

Components are not present on CA Prop 65 listing.


#### 16: OTHER INFORMATION

#### Abbreviations Used:

N/A - Not applicable N/E - Not Established N/L - Not Listed IARC 3- Unclassifiable as to carcinogenicity in humans

#### **Revision Information:**

April 13, 2018 - SDS issue



Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.

This SDS has been provided to you in accordance with the OSHA Hazard Communication Standard (29CFR1910.1200).

#### \*\*IMPORTANT SAFETY INFORMATION\*\*DO NOT DISCARD\*\*PLEASE ROUTE TO COMPANY SAFETY OFFICER\*\*